PUBLIC BUILDING COMMISSION OF CHICAGO ADDENDUM NO. 2 to REQUEST FOR QUALIFICATIONS FOR INSURANCE BROKERAGE SERVICES – PS1826

DATE: Friday, June 18, 2010

For which proposals are due in the Public Building Commission, Room 200, Daley Center, 50 W. Washington Street, Chicago, Illinois 60602, at 12:00 p.m., Central Standard Time, Thursday, July 1, 2010.

RESPONDENT SHOULD ACKNOWLEDGE RECEIPT OF THIS ADDENDUM IN THE COVER LETTER SUBMITTED WITH YOUR PROPOSAL.

ALL OTHER PROVISIONS AND REQUIREMENTS REMAIN AS ORIGINALLY SET FORTH IN THE RFQ EXCEPT AS MODIFIED AND INCORPORATED AS A RESULT OF THIS ADDENDUM.

<u>SECTION II: Answers to 7 questions submitted for clarification of the RFQ</u> The PBC's response (in *italic*) follows each question or request for clarification (in **bold**) received.

QUESTIONS AND ANSWERS

Question No. 1:	On page 9 of 51 Item AA reads "A fee will be negotiated with a successful Respondent upon notice of a contract award". Does this mean a fee quotation for the services requested in this RFP is not required with our answer that is due on June 24, 2010?
Answer #1:	This solicitation is a Request for Qualifications (RFQ) and not a Request for Proposal (RFP). Therefore, no fees should be quoted in the response.
Question No. 2: Answer #2:	Who is the current broker for the Public Building Commission? Willis
Question No. 3: Answer #3:	How many employees work for the PBC?
Question No. 4:	What is the total number of the PBC's active employees currently enrolled in its health benefit plans?
Answer #4:	59
Question No. 5:	What is the total number of the PBC's retired employees currently enrolled in its health benefit plans?
Answer #5:	0
Question No. 6: Answer #6:	Does the PBC hire any union employees? No
Question No. 7:	In regards to the MBE/WBE section is it possible to use one vendor who is a certified MBE and WBE to obtain both goals?
Answer #7:	No. The PBC's Special Conditions, Section 23.01.4b states "The total dollar value of a contract with a firm owned and controlled by minority women is counted toward either the MBE and WBE goal but not both."

END OF ADDENDUM NO. 2